

## Preform Information

Neck Size (mm)	Model	Weight/ g	Length/ cm	Packing Size/ cm	Packing Quantity
28MM (Short Mouth)	1881	10g	7.5cm	53*35*38cm	1500 PCS/CTN
		12.5g	7.8cm	53*35*38cm	1300 PCS/CTN
		13g/32cavity	7.9cm		1320 PCS/CTN
		14g	7.8cm	53*35*38cm	1300 PCS/CTN
		15g	8.6cm		1056 PCS/CTN
		15.5g	9cm	58*35.5*32.5cm	1000 PCS/CTN
		16g	9.1cm		968 PCS/CTN
		17g	9.1cm		968 PCS/CTN
		17.5g	9cm	53*33.5*33cm	1000 PCS/CTN
		18g	9.1cm		968 PCS/CTN
		19g	9.0cm		750 PCS/CTN
		20.5g	10cm	53*36*36.5cm	860 PCS/CTN
		21g	9.9cm		700 PCS/CTN
		22.5g	10cm	53*36*36.5cm	860 PCS/CTN
		23g	10.5cm		600 PCS/CTN
		25g	11cm	53*36*36.5cm	690 PCS/CTN
		27g	11.2cm		550 PCS/CTN
		28g	11cm	53*36*36.5cm	670 PCS/CTN
		30g	12.8cm	53*33.5*33cm	512 PCS/CTN
		32g	12.8cm	53*33.5*33cm	512 PCS/CTN
		35g	12.8cm	53*33.5*33cm	512 PCS/CTN
		38g	13.8cm	53*35*38cm	450 PCS/CTN
		40g			420 PCS/CTN
		42g			420 PCS/CTN
		43g	13.9cm	53*35*38cm	420 PCS/CTN
		44g			410 PCS/CTN
		45g			400 PCS/CTN
		50g	16.22cm		370 PCS/CTN
		52g	14.5cm	53*35*38cm	420 PCS/CTN
		55g	16.22cm		370 PCS/CTN
		60g	17cm		330 PCS/CTN
		65g	17cm		330 PCS/CTN
70g	18cm		320 PCS/CTN		
75g	18cm		320 PCS/CTN		
		14g	8.3cm	53*36*36.5cm	1100 PCS/CTN
		15g	8.3cm	53*36*36.5cm	1100 PCS/CTN
		16g	8.9cm	53*36*36.5cm	1000 PCS/CTN 750 PCS/CTN
		17g	9.5cm		960 PCS/CTN
		18g	8.9cm	53*36*36.5cm	1000 PCS/CTN 750 PCS/CTN
		21g	10cm	53*36*36.5cm	860 PCS/CTN
		23g	10cm	53*36*36.5cm	860 PCS/CTN

28MM (High Mouth)	PCO1810	24g	9.6cm		600 PCS/CTN
		24g	10cm		600 PCS/CTN
		25g	11cm	53*36*36.5cm	690 PCS/CTN
		25g	11cm	49*38*28cm(小箱)	520PCS/CTN
		26g	9.6cm		600 PCS/CTN
		27g	9.6cm		600 PCS/CTN
		28g	11cm	53*36*36.5cm	670 PCS/CTN
		30g	12.8cm	53*33.5*33cm	512 PCS/CTN
		32g	12.8cm	53*33.5*33cm	512 PCS/CTN
		33g	12.4cm		500 PCS/CTN
		35g	12.8cm	53*33.5*33cm	512 PCS/CTN
		38g	13.8cm	49*38*28cm	480 PCS/CTN
		40g	14.7cm		420 PCS/CTN
		42g	12.9cm		420 PCS/CTN
		42g	14.7cm		420 PCS/CTN
		43g	13.9cm	49*38*28cm	430 PCS/CTN
		44g			410 PCS/CTN
		45g	14.6cm	49*38*28cm	430 PCS/CTN
		47g	15cm	49*38*28cm	430 PCS/CTN
		48.5g	12.8cm		425 PCS/CTN
		50g			370 PCS/CTN
		52g	15cm	49*38*28cm	370 PCS/CTN
		55g	16.4cm	49*38*28cm	370 PCS/CTN
		60g	17cm		330 PCS/CTN
		65g	17cm		330 PCS/CTN
		70g	18cm		320 PCS/CTN
		75g	18cm		320 PCS/CTN
		30MM Short	2925	10.5g	6.85cm
11.8g	6.85cm			53*35*37cm	1400 PCS/CTN
12.5g	6.85cm			53*35*37cm	1400 PCS/CTN
13g	8.7cm				850 PCS/CTN
14g	8.85cm			53*35*38cm	1300 PCS/CTN
15g	8.85cm			53*33*38cm	1250 PCS/CTN
16g	9cm				700 PCS/CTN
18g	9.8cm			53*33*38cm	880 PCS/CTN
19.5g	9.8cm			53*33*38cm	880 PCS/CTN
26g	12.2cm				605 PCS/CTN
28g	12.2cm				605 PCS/CTN
29g	12.63cm			53*33*38cm	650 PCS/CTN
32g	12.63cm			53*33*38cm	650 PCS/CTN

30 MM Neck Size	3025	13 g	8.5cm	52*36*37.5cm	1150 PCS/CTN
		14 g	8.8cm	53*36*36.5cm	1150 PCS/CTN
		16 g	9.15cm	53*35*35cm	850 PCS/CTN
		17 g	9.35cm	53*35*35cm	850 PCS/CTN
		18 g	9.35cm	53*36*36.5cm	850 PCS/CTN
		17g/18g	9.35cm	50*35*33cm	1008 PCS/CTN
		20g	9.8cm	53*36*36.5cm	830 PCS/CTN
		21g			600 PCS/CTN
		22g	9.8cm	53*36*36.5cm	830 PCS/CTN
		20g/22g	9.8cm	49*36*29cm	855 PCS/CTN 1303CTN/40HQ
		23g	11cm		660 PCS/CTN
		25g	10.8cm	53*36*36.5cm	630 PCS/CTN
		28g	10.8cm	53*36*36.5cm	630 PCS/CTN
		30g	11.5cm	53*33*33cm	480 PCS/CTN
		32g	11.5cm	53*33*33cm	480 PCS/CTN 1115CTN/40HQ
		34g	13.1cm		400 PCS/CTN
		35g	11.5cm	53*33*33cm	480 PCS/CTN
		36g	13.1cm		400 PCS/CTN
		38g	13.5cm	53*35*33cm	430 PCS/CTN
		40g	13.5cm	53*35*33cm	380 PCS/CTN
		43g	14.5cm	49*38*28cm	410 PCS/CTN
		45g			400 PCS/CTN
		50g	14.3cm		400 PCS/CTN
55g	16.1cm	49*38*28cm	350 PCS/CTN		
75g			280 PCS/CTN		
38MM	3830 (Mizone Mouth) 30.2 (Inside Diameter) Thick Mouth	17g	7cm		1080 PCS/CTN
		21g	8.6cm		550 PCS/CTN
		25g	9.9cm		540 PCS/CTN
		27g	9.8cm		540 PCS/CTN
		28g	9.5cm	53*35*35cm	520 PCS/CTN
		30g	9.8cm		540 PCS/CTN
		32g	10.1cm	53*35*35cm	520 PCS/CTN
		36g	10.6cm		585 PCS/CTN
		39g	10.8cm		468 PCS/CTN
		40g	11.7cm		400 PCS/CTN
		45g			270 PCS/CTN
		46g	14cm		290 PCS/CTN
		48g	12.5cm	53*35*35cm	300 PCS/CTN
		50g	14cm		260 PCS/CTN
		52g	12.5cm	53*35*35cm	300 PCS/CTN
		55g	14cm		260 PCS/CTN
		60g	15cm		240 PCS/CTN
		65g	16.6cm		240 PCS/CTN
		66g	15cm	53*35*35cm	192 PCS/CTN
		70g	15cm	53*35*35cm	213 PCS/CTN
75g	15cm	53*35*35cm	213 PCS/CTN		
80g	17.6cm		234 PCS/CTN		
110g	18.1cm		192 PCS/CTN		

	38 (Huiyuan Mouth), Thin Mouth	18g	9.2cm		540 PCS/CTN
		21g	9.2cm		540 PCS/CTN
		25g			540 PCS/CTN
		28g	9.9cm		540 PCS/CTN
		30g			384 PCS/CTN
		32g			360 PCS/CTN
		36g	12.1cm		360 PCS/CTN
		43g	13.4cm		324 PCS/CTN
		50g	14.4cm		253 PCS/CTN
		55g	14.45cm	49*38*28cm	256 PCS/CTN
		60g	14.9cm		240 PCS/CTN
		65g	13.9cm	49*38*28cm	218 PCS/CTN
		70g	17cm		216 PCS/CTN
		75g	16.9cm	49*38*28cm	213 PCS/CTN
		80g	17cm		216 PCS/CTN
		88g	18cm	49*38*28cm	218 PCS/CTN
		100g	16.6cm	53*33*33	168 PCS/CTN
		110g	16.6cm	53*33*33	168 PCS/CTN
		45MM	45/39 Single Thread/3 Thread	70g	14cm
80g	14cm			53*32*33	192 PCS/CTN
90g	14.6cm			53*30.5*33	168 PCS/CTN
95g	14.6cm			53*35*33	192 PCS/CTN
120g	17.6cm			53*35*33	168 PCS/CTN
130g	17.6cm			53*35*33	168 PCS/CTN
140g	19.6cm			53*40*34	168 PCS/CTN
150g	19.6cm			53*40*34	168 PCS/CTN
165g	20.9cm			61.5*29.5*30	117 PCS/CTN
180g	20.9cm			61.5*29.5*30	117 PCS/CTN
48MM	48/41 Threaded Neck	70g	14.2cm	53*30.5*33	192 PCS/CTN
		80g	14.2cm	53*30.5*33	192 PCS/CTN
		90g	15.3cm	53*32*33	168PCS/CTN 1168CTN/HQ
		95g	15.5cm	53*32*33	168 PCS/CTN
		100g	15.5cm	53*32*33	168 PCS/CTN
		110g	17cm	53*35*34.5	168 PCS/CTN
		125g	17cm	53*35*34.5	168 PCS/CTN
		130g	18.9cm	55*29*32	138 PCS/CTN
		140g	18.9cm	55*29*32	138 PCS/CTN
		150g	21cm	43*38.5*34	120 PCS/CTN
		165g	21cm	43*38.5*34	120 PCS/CTN
		180g	22cm	44*36.5*33	112 PCS/CTN
		200g	22cm	44*36.5*33	112 PCS/CTN
		165g	20.5cm	61*34*31	99 PCS/CTN
		185g	20.5cm	61*34*31	99 PCS/CTN
		200g	21cm	61*34*31	99 PCS/CTN
		210g	21cm	61*34*31	99 PCS/CTN

Neck Forming

250g	26.2cm	60*25*42	76 PCS/CTN
270g	24.5cm	55*25*42	68 PCS/CTN
300g	28.2cm	54*28*43	68 PCS/CTN
320g	28.4cm	54*32*33	51 PCS/CTN
350g	30cm	54*32*33	51 PCS/CTN
400g	31cm	54*33*34	51 PCS/CTN
430g	34.7cm	56*27*36	43 PCS/CTN
450g	35cm	56*27*36	43 PCS/CTN
480g	35cm	56*26*36	50 PCS/CTN
530g	37cm	58*22.5*38.5	34 PCS/CTN
580g	39cm	58*23*40	34 PCS/CTN
620g	39cm	58*41*17.5	26 PCS/CTN
650g	39cm	58*41*17.5	26 PCS/CTN
680g	40cm	58*40*17.5	26 PCS/CTN
700g	40.9cm	58*42*18	26 PCS/CTN
730g	42cm	58*42.5*18	26 PCS/CTN
750g	42cm	58*43*18	26 PCS/CTN

55CM

	775g	42cm	58*43*18	26 PCS/CTN
	800g	42cm	58*43*18	26 PCS/CTN
Neck Forming With Support Ring	165g	20.5cm	61*34*31	99 PCS/CTN
	185g	20.5cm	61*34*31	99 PCS/CTN
	200g	21cm	61*34*31	99 PCS/CTN
	215g	20.9cm	61*34*31	99 PCS/CTN
	250g	22.8cm	60*24*42cm	76 PCS/CTN
	270g	24.6cm	44*36.5*33	66 PCS/CTN
	300g	26.6cm	54*28*43	68 PCS/CTN
	320g	28.4cm	54*30*33	51 PCS/CTN
	340g	28.4cm	54*30*33	51 PCS/CTN
	350g	30cm	54*32*33	51 PCS/CTN
	380g	34.7cm	54*32*33	51 PCS/CTN
	400g	31cm	54*33*34	55 PCS/CTN
	Short Thread	105g	15.7cm	53*47*29
115g		15.7cm	53*47*29	153 PCS/CTN
130g		18.5cm	53*47*29	140 PCS/CTN
145g		18.5cm	53*47*29	140 PCS/CTN
165g		20.5cm	61*34*31	99 PCS/CTN
185g		20.5cm	61*34*31	99 PCS/CTN
200g		20.5cm	61*34*31	99 PCS/CTN
210g		22cm	44*37*40	78 PCS/CTN
220g		22cm	44*37*40	78 PCS/CTN
230g		22cm	44*37*40	78 PCS/CTN
240g		21.8cm	44*36.5*33	66 PCS/CTN
250g		21.8cm	44*36.5*33	66 PCS/CTN
260g		24cm	49*36*41.8	66 PCS/CTN
270g		24.5cm	49*36*41.8	66 PCS/CTN
280g		24.5cm	49*36*41.8	66 PCS/CTN
290g		24cm	49*36*43	66 PCS/CTN
300g		25cm	54*28*43	68 PCS/CTN
330g		28.4cm	54*30*33	51 PCS/CTN
350g		28.4cm	54*30*33	51 PCS/CTN
360g		31cm	54*32*33	51 PCS/CTN
390g	31cm	54*33*34	55 PCS/CTN	
410g	31cm	54*33*34	55 PCS/CTN	
Long Thread	210g	20.9cm	61*34*31	99PCS/CTN
	250g	22.8cm	60*24*42cm	76 PCS/CTN
	270g	24.6cm	55*25*42	68 PCS/CTN
	300g	26.6cm	54*28*43	68 PCS/CTN

	315g	28.4cm	54*30*33	51 PCS/CTN
	340g	28.4cm	54*30*33	51 PCS/CTN
	350g	30cm	54*32*33	51 PCS/CTN
	400g	31cm	54*33*34	51 PCS/CTN
Thin Thread	165g	20.5cm	61*34*31	99 PCS/CTN
	185g	20.5cm	61*34*31	99 PCS/CTN
	200g	21cm	61*34*31	99 PCS/CTN
	210g	20.9cm	61*34*31	99 PCS/CTN
	250g	22.5cm	60*25*42	76 PCS/CTN
	270g	24.5cm	55*25*42	68 PCS/CTN
	315g	28.4cm	54*32*33	51 PCS/CTN
	335g	28.4cm	54*32*33	51 PCS/CTN
	350g	30cm	54*32*33	51 PCS/CTN
	400g	31cm	54*33*34	55 PCS/CTN
	430g	34.7cm	56*27*36	43 PCS/CTN
	450g	35cm	56*27*36	43 PCS/CTN
	480g	35cm	56*26*36	43 PCS/CTN
	530g	37cm	58*22.5*38.5	34 PCS/CTN
	580g	37cm	58*23*40	34 PCS/CTN
	620g	38cm	58*41*17.5	26 PCS/CTN
	650g	38cm	58*41*17.5	26 PCS/CTN
	680g	39cm	58*40*17.5	26 PCS/CTN
	700g	40cm	58*42*17.5	26 PCS/CTN
	730g	42cm	58*43*18	26 PCS/CTN
	750g	42cm	58*43*18	26 PCS/CTN
	775g	42cm	58*43*18	26 PCS/CTN
	800g	42cm	58*43*18	26 PCS/CTN
1-2 High Mouth	130g-2	18.5cm	53*47*29	140 PCS/CTN
	145g-2	18.5cm	53*47*29	140 PCS/CTN
	165g	20.5cm	61*34*31	99 PCS/CTN
	190g	20.5cm	61*34*31	99 PCS/CTN
	205g-1	20.5cm	61*34*31	99 PCS/CTN
	215g-1	22cm	61*34*31	99 PCS/CTN
	210g-2	22cm	44*37*40	78 PCS/CTN
	220g-2	22cm	44*37*40	78 PCS/CTN
	230g-2	22cm	44*37*40	78 PCS/CTN
	240g-2	21.8cm	44*36.5*33	66 PCS/CTN
	250g-2	24cm	44*36.5*33	66 PCS/CTN
	255g-1	22.5cm	60*25*42	76 PCS/CTN
	275g-1	24.6cm	55*25*42	68 PCS/CTN

		270g-2	24cm	49*36*41.8	66 PCS/CTN
		280g-2	24.5cm	49*36*41.8	66 PCS/CTN
		290g-2	24.5cm	49*36*41.8	66 PCS/CTN
		305g		54*28*43	68 PCS/CTN
		325g	28.4cm	54*30*33	51 PCS/CTN
		350g	28.4cm	54*30*33	51 PCS/CTN
		355g-1	31cm	54*33*34	55 PCS/CTN
		385g	31cm	54*33*34	55 PCS/CTN
		405g	31cm	54*33*34	55 PCS/CTN
72MM	Thread	685g		54*30*33	24 PCS/CTN
120MM	Thread	630g		51.5*35.5*35.5	18 PCS/CTN
Cap	28mm Short	Screw Cap 1.7g		55*36*46	6600 PCS/CTN
	28mm Short	Aseptic Cap 2.1g Carbonated 2.3g		55*36*46	6000 PCS/CTN
	28mm Short	Gasket 2.5g		55*36*46	6000 PCS/CTN
	28mm High	1.9g		60*40*42.5	5000 PCS/CTN
	28mm High	2g		55*36*46	5200 PCS/CTN
	28mm High-fold	Fold 2.4g		55*36*46	4600 PCS/CTN
	28mm High	Gasket 3g	Height 20mm	55*36*46	4300 PCS/CTN
	2925	1.55g		58*39*42	8000 PCS/CTN
	30mm	1.85g		58*39*42	5000 PCS/CTN
	38mm Huiyuan	3.5g		58*41*44	4000 PCS/CTN
	38mm Mizone	3.5g		58*41*44	4000 PCS/CTN
	38mm Mizone (Gasket)	3.5g		58*41*44	3800 PCS/CTN
	45mm Liner (Thread/Three Thread)	6g		55*37*40cm	1400 PCS/CTN
	45mm Cap	5.7g		55*36.5*44cm	1500 PCS/CTN
	48mm Cap	4g		58*42*42	2500 PCS/CTN